

# Figures




FIG. 1




FIG. 2

```

<PATH Message> ::=
  <Common Header>
  [ <INTEGRITY> ]
  [ <MESSAGE_ID_ACK> | <MESSAGE_ID_NACK> ]
  [ <MESSAGE_ID> ]
  <SESSION>
  <RSVP_HOP>
  <TIME_VALUES>
  [ <EXPLICIT_ROUTE> ]
  <LABEL_REQUEST>
  [ <SERVICE_PATH_INFORMATION> ]
  [ <PROTECTION> ]
  [ <LABEL_SET> ]
  [ <SESSION_ATTRIBUTE> ]
  [ <NOTIFY_REQUEST> ]
  [ <POLICY_DATA> ]
  <sender descriptor>
  
```

FIG. 3




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5

<Notify message> ::=      <Common Header>  
                             [<INTEGRITY>]  
                             [ [<MESSAGE\_ID\_ACK> | <MESSAGE\_ID\_NACK>] ... ]  
                             [ <MESSAGE\_ID> ]  
                             <ERROR\_SPEC>  
                             <notify session list>

ERROR\_SPEC object

+-----+-----+-----+-----+			
	Error Node Address		
+-----+-----+-----+-----+			
	Flags	Error Code	Error Value
+-----+-----+-----+-----+			

- + Bridging completed
- + Roll/Bridge completed
- + Roll completed

FIG. 6

<PATHTEAR Message> ::= <Common Header>  
                             [<INTEGRITY>]  
                             [ <MESSAGE\_ID\_ACK> | <MESSAGE\_ID\_NACK> ]  
                             [ <MESSAGE\_ID> ]  
                             <SESSION>  
                             <RSVP\_HOP>  
                             [ <EXPLICIT\_ROUTE> ]  
                             [ <SERVICE\_PATH\_INFORMATION> ]  
                             [ <PROTECTION> ]  
                             [ <SESSION\_ATTRIBUTE> ]  
                             <sender descriptor>

FIG. 9





FIG. 7

STP E JCT119 3002  
AUG 29 2002  
PAT & TRADEMARK OFFICE




FIG. 8